Menlo Park Notebook #189 [N-80-00-04]

This is one of six notebooks that were probably begun on January 10, 1881. It contains essays and notes by Edward H. Johnson on gas and electric lighting and on the nature of technological innovation, which appear to be related to Edison's proposed book on electric light and power. (See Menlo Park Notebook #184.) The book contains 284 numbered pages.

Blank pages not filmed: 32-33, 38-39, 56-284.

Rule for determining Approximately - the No of Gas Jets required in a given Room

The floor area in feet divided by 50 for Common Gas (or by 70 for Cannel Gas) will give the No of burners required for Effective Lighting

Example

Room 80 × 56 = are 4480

$\frac{4480}{50}$ = 90 burners

or

$\frac{4480}{70}$ = Say 60 "

Gas first Introduced in practical Operation by Robt Murdock of Redruth, Cornwall, Publicly showed the System in 1797 — in 1798 made an Aparatus for the manufacture of gas and lighted his Cottage Workshops & Premises

Appendix to Railroads &c. Abr.d Cyclopaedia Stephenson

"While this road was building the most eminent Engineers were consulted in recommending Stationary Engines in place of Locomotives which they declared unsafe incapable of attaining High Speed; and the Chimney or Pedestal of a series of Stationary machines 1½ m apart dragging the trains by Ropes would have been adopted but for the courage of Stephenson and a few of his friends."

Gas

3

"Coal Gas Treatise

"In our narrative thus far We have described the 1st Ideas respecting Gases; the primitive bases of Pneumatic Chemistry; the earliest recorded productions of inflammable air; the Spontaneous Emission of Carburetted Hydrogen from the earth & its ignition! The transfer of the same Gas, together with the means of storing it, and on a small scale as a scientific curiosity, its application to lighting All these had been observed or achieved but there was still wanting the mind to conceive the mode of applying Coal Gas to useful purposes

And the intelligence & carry it to a successful issue."

Was there an analogy

also from some paper in the proceeding Paragraph the following:

"We now pass from the division to the real and from the speculative to the positive."

Informal w~~as~~ in the

Wyse Lighton with Gas in 1834 – Phil 1835=

Phil = Gas works 1880 Valued at 25 ave. ave. Could not be referred for much less

45th annual report Trustees Phil Gas works

Mems "Gas in Sewers for Gas Users" –

With ordinary burners instead of getting 15 Candle light from Cannel Gas, 5 or 6 – Candles is the rule. In Glasgow where the Gas is exceptionally good 5 or 6 Candles is the rule, instead

If the 27 Candles at
which the Gas is Supplied
instead of the 20
Candles that Can Easily
be obtained, the Light,
the profit to the
Gas Company, will be the same
as required & thus it is
easy to give all the Light
Coal & it without Producing
Smoke."

Further

"In some Cases Gas is
abandoned altogether and
replaced by Candles &
Oil Lamps because the
Sensible rules for its
proper burning have not
been understood"

Further

"As the barometer falls
the light diminishes and
according to Dr Frankland
at the rate of 5.1 per
Cent for every inch of fall
according to Dr Letheby in
London, the difference in the
Value of the Light when the
Barometer is 31 as compared
with what it is at 28 is
fully 25 per cent"

Thus we have
Light reduced by Atmospheric
Changes this may be said
to be about [illegible] of
light to be got in Vacuum

further

"Practical Reading When Compared with Wax or Sperm Candles, placed on a Table at least 50 ft. from the Standard Candle, Rose of the Gas should be reduced by ½ to allow for the loss by Burners and Globes & height from Table."

Note No loss in Electric Light by defective burners - No loss by following through Glass Globes - because not necessary, & as Globes there is absolutely no Movement of the light as when a Gas jet is

disturbed by the air - or When the pressure of Gas is to cause it to "blow" = These defects in Gas renders it so painful & the Eye & its thin Enclosure by semi translucent Glass is resorted to with the above loss of light result

As to light from Table the E. L. may be used on the ~~desk~~ plane of the Eye which it is so mild & steady as not to be painful

Jeans on Steel

Besides my knowledge of
Iron Metallurgy was at
that time very limited
but this was a great adv.
to him for he had but no
Coke & Lumber & Charcoal
Iron after each the fuel
Iron from a bear ch. [illegible]
Of these ores have gone
followed a beaten track
Vainly endeavored to
get out of the Rut -

Page 45

Note

This may be said of
Edison ~~in~~ in respect
to the ~~Subject~~ his Knowledge

Of the Subject of Electric Lighting at the Time I began this Investigation - the Lack never seems to the Subject a sufficient Length of Consideration - but I did not read any of the Literature of the Subject as I was in fact perfectly unbiassed to follow the Course suggested by the Experiments

Mason Common Sense designed a following a table showing that Gas is less injurious than Oil Ways or tallow by this Qualification

"No doubt these results are correct enough but they are Laboratory Experiments and when we add the Quantities of actual Practice they show that Gas as burnt in the usual extravagant Manner is more injurious than any of the other Systems of Lighting"

The Extravagant use of the Edison L. Lamp in Norway creates a deleterious

Effect – since none
exists primarily –

fourth.

"Cannot see it argued that
the quantity of sulphur compounds
produced at one burning is
injurious though small if said
this quantity be not removed
and it becomes deposited on
Articles in the room – it
is only a question of time
and number of repetitions
for the insignificant quantities
to become heavy & intolerable
Collections."

That does individual
Effects Plants, ~~Pictures~~
Paintings & decorations

is well settled – hence
Although as above suggested
the injury may be very
small at any one period
of time – the cumulative
effect is very great –

The E.L. not only Counsel
Cause any such deposit
– but in the Case of Plants
held by certain authorities to be decidedly advantageous

~~Nil Admirari~~ ~~[illegible]~~
~~[illegible]~~

Loss of Illuminating Power

Coal Gas is depreciated in illuminating power to a greater or less ~~degree~~ degree in travelling through the mains & service pipes, owing to the liability, especially in cold weather, of the Hydro-Carbons to be condensed & deposited.

New riggings Hand Work

~~High~~ high initial pressure by means with a heavy leakage of

Note on Opp. of fraternity - professional

The opposition manifested by the fact that the highest authorities in any given art are generally found condemning most vehemently the important innovation may be explained in this way - Naturally he who knows the most thoroughly versed in an existing method - who is the most firm believer in it - who has the most thoroughly mastered its principles & details - is vested by his fellows with the honor of "authority" - The very firmness with which he becomes wedded to the existing order of things closes his mind & against innovation - He has run so long in a given groove - that

Opposition

J. J. Jarvis's History of Steel

Refs to Bessemers Efforts to interest Iron manfrs in his New Method of Making Steel =

Page 54

"One of the most prominent & decidedly on Bessemers claims was Alexander Anderson perhaps the most eminent Steel manfr in Sheffield and at that time a leading authority on all questions relating to the practical manufacture of steel. Anderson freely admitted that if Bessemers pretensions could be realized

his invention Wood took rank deservedly among the first if not in very first of the age. -but other Engineers examining the Claims of the inventor he would not admit them to be Tenable. He did unhesitatingly allow that by his Processes process a decarburized cast Iron was obtained and that such Iron was bright White and Crystalline; but he did not believe that such Metal would admit either of being drawn under a Hammer or rolled into a bar.

He could not admit the Processes Metal to be Cast Steel. It would not work a boring tool or a Cutter, a Tap or a Die could not be fashioned

by the workmans hammer made into a needle or cut into a file; and in short he was compelled to Express the Opinion that it was a Metal which could not possess the commercial value of Steel - Nor would it produce a Malleable Iron suited to the requirements of Commerce

Page 55

Bruman, whose experience of the Metallurgy of Iron caused his views to be accepted with deference, also took up the controversy. He pointed out that the decarbonization of Iron the Carbon in fluid Iron run direct from Blast Furnaces and exposed to the

22

Action of a blast of atmospheric air was no new discovery, numerous cases of blast coke blowing with the liquid iron in the form of refinery furnaces and the intense heat produced by blowing oxygen into liquid iron Acetylene Carbon in Acetone or combustion was well known to intelligent refiners, so that Bessemer "assumed direction of a great principle resulting into the application of facts that had previously been well known"

Go to Page 30

from Page 18

he cannot get out of it.

Again - Man is always loth to give up authority - hence rather than risk to find good in the inventions of the invent Another with a vestage of his authority he comes to it with a feeling of antagonism which only absolute conviction can remove - This conviction can seldom be effected in the early stages of an invention Consequently 9 times out of 10 the "authority" fails to see what it offers with probably less reputa but without bias at once comprehend

~~[illegible]~~

~~Th~~ Again It not infrequently happens that the Architect has been seeking himself to accomplish the same thing but has only in part succeeded - He is therefore more likely than any other man likely to ~~[illegible]~~ feel the deficiencies offered him numerous details, obscurities &c.

It is an Error generally whether an Engineer in another but Kindred profession is not a more reliable judge of the value of the new thing - than one

~~[illegible]~~ of the same profession to illustrate - would probably be a Gas Engineer & more competent ~~[illegible]~~ to pass upon the value of a system of Electric Lighting than would ~~be~~ an Electrician & vice versa -

Opposition

From the Scientific addn. of the Press & the British and Foreign Mining at Bristol Eng. ~~Aug~~ June 12th/77. as reported in the Anti Gas Light Journal Aug 2/77 -

Under the head of "The Electric Candle" (Yablochkoff) a report is given of the failure of an Exhibit of Electric Lighting to which the Press had been invited because of the "break down of a Steam Engine without

which the Electric Generator could not be worked," ~~but from this the following Deductions are drawn~~ - He says: - "Viewed all round, its cost must be such as to put out of the question its necessary a rival to Coal Gas until some means be devised for collecting Electricity instead of having to produce it by steam power for its generation" And again in speaking of the same attempt to exhibit the light. He says "assuming however that the thing

had been a Success
its employment over
other Electrical Lights
would have been a
matter of degree.
The inconvenience of
a light too powerful
for the Human Eye
would still remain
& the light from one lamp
would be fixed & the intensity
by shading to about
1/5 of its power to render
it admissable for the
Ordinary purposes of life
thus reducing its Value
While the Cost of production
would remain the
same So is thus obvious
that if the light of

100 Candles be produced
& 20 only are available
the 80 are absorbed and
Wasted. And these would
always remain the fatal
objection of it not being
disposable, beside all
which its Cost must be
such, as to shut out of
the question its becoming
usual to Gas Lites until some
means be devised for
Collecting Electricity instead
of having to Employ Steam
Power for its Generation
And from this exposition
of the Subject as it
appears to him the
following deductions

40
70
40

from Page 22

Page 56 Benzenuer

As indicative of the reaction that the Benzenuer Process method at the present time of Industrial Events is of short Process the following Extract from the "Practical Manufacturing Journal" which asked of those was "Next Something like unawares Could this" The Iron Was obtained according to the New Process by means of an agglutinated Mass of Coke, Coal Dust & Pitch Grains possessed of a Very perfect Malleability - flattening under the blows of a hammer but almost invariably

Cracking at the Edges -
It is wholly destitute of a fibrous ~~structure~~ and only of a Texture when repeatedly heated and drawn out in a Smiths forge Exhibits the Properties of an Inferior Iron

Water Vs. Coal Gas

~~Jan~~

The hope is held out to the Public that a cheaper & superior Gas is to be produced by new processes. But on reference to the general discussion of the Subject of the merits & demerits of the Matter it is found that the new Gas has two fatal defects ~~first~~ viz: It is a blood poison & by being dependent upon the use of naptha - of which

There is a Company by Act a limited Capital - the extent to which it may be manufactured is far within the present limit of Coal Gas Manufacture



are drawn -

"But I think I may safely say that there is not the slightest possibility of property invested in Gas undertakings being affected in value by any kind of Electric Light; and that the fear of any such result can only be seriously entertained by the ignorant".

Comments:

If this opinion that the most prominent

of British Gas Engineers is found underlying in captious Criticisms and leading the terrible charge of ignorance at those who entertain Opinions not in accordance with his: he must indeed be a superficial thinker if he really believed the inability of the Electricity was fatal to its use - Did he not know that the large Engines of a Steamship work unceasingly for Weeks at a time during an Ocean passage - If upon the Ear receiving wave from

much more Constant upon a solid foundation And did it not occur to him that an Electric light Station might be supplied by a number of Engines as ~~has been~~ was the case with a number of Reservoirs so that when any one became unavailable another might be drawn upon - In point of fact the assumed insurmountable difficulty is fully met by the simple & natural Expedient of having One Extra Engine in a Station ~~like Rugeley~~ of 1.2 -

If one should fail the Extra being always Kept in motion Could be so instantaneously "switched" into Connection with the Circuit Mains as to scarce Permit of the lights ~~supplied~~ of such Circuit becoming more than a few Candles lower in intensity - If a Second or a third should fail Simultaneously ~~which is the~~ Worst the remaining would still suffice ~~for~~ as much as they Could, ~~if~~ ~~Engineers~~ always have a reserve Capacity

Equal to such Extra
Strain - & Even if not
fully Equal to the Task
the deficiency would
Only appear in a slight
diminishing of Each light
so slight in fact - that
it would escape the
notice of at least 90%
of the consumers - but
inasmuch as the power
at any station would
always be Equal to
the demand, at that hour of the night
season of the year when
the maximum generation
of Light is used - the
Secondary break down
of 13 Engines
would, to say nothing

the power have to
occur at ~~such a time~~ precisely that season of the year
- a combination of
improbabilities ~~which~~ ~~such~~
~~slight results in the~~
~~Case~~ pregnant with
~~no slight~~ results of
little import as to
hardly merit a moments
thought - much less
to be magnified into
a "fatal defeat." -

In confirmation of
this - attention is called
to the rapid Supplanting
of the old Reservoir System
of Water Supply - by the
direct supply maintained
by Steam Engines - More

Chas

Get Hall Water work Statistics

Pressure Regulation

Ass'n Gas Journal

Sept 3rd 77

In a paper contributed to the meeting of the Ass'n of Gas managers, Mr W. J. Warner of both Chicago gives some interesting data on the subject of regulating the pressure of gas so as to secure uniformity throughout the service - and then presents some recommendations in respect to a remedy. He shows the pressure throughout the District or town is determined by the Topography of

The district - It is a
Matter of such common
occurrence as to occur
within the observation
of almost. Every Consumer
having to do with high
buildings that the pressure
is greater at the Top
than at the bottom of
such buildings - Beside
these causes of difference
due to difference of
Elevation &c there is
that of Friction by
Reputation -
To determine these differences
of pressures Mr Warner
would take the pressure
"at three positions Where
the mains are diminished,
at the foot, top & up
the sides of Hills,

along the principal
Streets and at the extreme
Ends of the District "
The Result of the Assess-
Endorsed & emphasized
Mr Warners remarks on
the subject in the following
Words - "Mr Warner had
dealt with a most difficult
Subject - He had been
personally acquainted with
many Companies in which
a half dividend had been
Wasted for want of such
simple means as Mr
Warner had indicated
++ The waste which Constantly
occurred for want of due
regulation of pressure at
different parts of a Dist.
Was most serious.
In some places there
would be perhaps 3 or 4

three as much as was wanted whilst in others there would be a deficiency. The constant source of complaint. Examination" =

all this is of course due to the fact that Gas is lighter than air ~~is heavier~~ & rises with a pressure proportioned to the ~~height~~ of the column ~~between the~~ ~~level of the~~ to the height of the Column & when this varies with the topography of the district, it follows that ~~the~~ Each district must be considered by itself

in any attempt to Establish uniformity ~~to secure~~ with an internal pressure of 20 inches the pressure ~~in the~~ at various points throughout the District may vary ~~by~~ several inches

~~Much~~ much has been said about the difficulty of providing ~~the~~ Electric light ~~for~~ with a practical regulator ~~for~~ ~~the~~ ~~Electric~~ ~~Light~~ ~~Current~~ ~~of~~ ~~Electricity~~ ~~Supply~~ ~~Current~~ the improvement of the Lamps & the development of the Edison System has so completely removed the matter from the

~~Sphere of Influence~~

~~Law~~ The providing of a practical Regulator for the Electric Light has always been held to be of Paramount importance to the introduction of the Lamp. Yet we ~~have~~ find that by the introduction of the Lamps and the practical development of the Edison System the creation of influences from this sphere of influence reduced to such insignificant Efficiencies as to be absolutely free from Error. Even a single one of the defects of Gas is absent depicted - Electricity not being affected by ~~the~~ Elevation or Kindred influences ~~and having no retarding~~ And being subject to no other retarding or accelerating influences than the simple resistance of the Conducting wires the pressure may be wholly ~~absolutely~~ regulated ~~Controlled~~ at the Central Station - That ~~this~~ is so, and that any change of pressure at the Central Station produces a corresponding

Variation at Every point of the Supply Mains may readily be proven to the Satisfaction of any one, however unprofessional he may be - by observing any one or more of the 800 Lamps in operation at Menlo Park. The Variation will be exactly the same in the Lamps on the Top, Side or Bottom of a Hill - the Nearest or Most distant Lamps - From this it follows of course that the pressure on the Lamps located on the ground floor will be no more & no less than that on those at the highest point in the House